

Ocean Energy Management, Interior

§ 553.14

§ 553.12 May I ask BOEM for a determination of whether I must demonstrate OSFR?

You may submit to BOEM a request for a determination of OSFR applicability. Address the request to the office identified in §553.45. You must include in your request any information that will assist BOEM in making the determination. BOEM may require you to

submit other information before making a determination of OSFR applicability.

§ 553.13 How much OSFR must I demonstrate?

(a) The following general parameters apply to the amount of OSFR that you must demonstrate:

If you are the designated applicant for . . .	Then you must demonstrate . . .
Only one COF,	The amount of OSFR that applies to the COF.
More than one COF,	The highest amount of OSFR that applies to any one of the COFs.

(b) You must demonstrate OSFR in the amounts specified in this section:

onstrate OSFR in accordance with the following table:

(1) For a COF located wholly or partially in the OCS you must dem-

COF worst case oil-spill discharge volume	Applicable amount of OSFR
Over 1,000 bbls but not more than 35,000 bbls	\$35,000,000
Over 35,000 but not more than 70,000 bbls	70,000,000
Over 70,000 but not more than 105,000 bbls	105,000,000
Over 105,000 bbls	150,000,000

(2) For a COF not located in the OCS you must demonstrate OSFR in accordance with the following table:

COF worst case oil-spill discharge volume	Applicable amount of OSFR
Over 1,000 bbls but not more than 10,000 bbls	\$10,000,000
Over 10,000 but not more than 35,000 bbls	35,000,000
Over 35,000 but not more than 70,000 bbls	70,000,000
Over 70,000 but not more than 105,000 bbls	105,000,000
Over 105,000 bbls	150,000,000

(3) The Director may determine that you must demonstrate an amount of OSFR greater than the amount in paragraphs (b)(1) and (2) of this section based on the relative operational, environmental, human health, and other risks that your COF poses. The Director may require an amount that is one or more levels higher than the amount indicated in paragraph (b)(1) or (2) of this section for your COF. The Director will not require an OSFR demonstration that exceeds \$150 million.

(4) You must demonstrate OSFR in the lowest amount specified in the applicable table in paragraph (b)(1) or (2)

of this section for a facility with a potential worst case oil-spill discharge of 1,000 bbls or less if the Director notifies you in writing that the demonstration is justified by the risks of the potential oil-spill discharge.

§ 553.14 How do I determine the worst case oil-spill discharge volume?

(a) To calculate the amount of OSFR you must demonstrate for a facility under §553.13(b), you must use the worst case oil-spill discharge volume that you determined under whichever of the following regulations applies: